JOURNAL OF THE AUDIO ENGINEERING SOCIETY

SUBJECT AND AUTHOR INDEX

VOLUME 12 - 1964 NUMBERS 1-4

Subject Index

Amplifiers

Bridging and Mixing Techniques—Carlton E. Wood, No. 1, p. 55

Interrelation of Speaker and Amplifier Design—Victor Brociner and Daniel von Recklinghausen, No. 2, p. 124

Parametric Input Stages in Electroacoustics. 1. Low-Noise Playback Amplifier in Magnetic Recording—E. deNiet, No. 1, p. 21

Parametric Amplifiers Used in Electroacoustics. 2. The Condenser Microphone Amplifier with Semi-Conductor Elements—E. deNiet, No. 3, p. 186

Audio Applications

Audio Aids and Commission Policy—Robert L. Cutts, No. 1, p. 15

Bridging and Mixing Techniques—Carlton E. Wood, No. 1, p. 55

Functionalized Listening Facility for the Multi-Lingual Auditorium—D. D. Jones, No. 3, p. 245

Linguistic Problems in Exra-Terrestrial Communications—Russell F. W. Smith, No. 2, p. 154

Location of Sound Sources (Letter)—Benjamin B. Drisko, No. 2, p. 166

Recording Aircraft Noise to 100 kc—A. R. Soffel, No. 3, p. 214

Broadcasting

New Multi-Deck Broadcast Audio Tape Cartridge System, A—K. Rey Smith II, No. 4, p. 327

See also: Stereo FM

Disc Recording and Reproduction

Damping of Phonograph Styli, On the—B. B. Bauer, No. 3, p. 210

Integrated Treatment of Tracing and Tracking Error —Duane H. Cooper, No. 1, p. 2

Method for Raising the Load Capability of Stereo Cutters, A—Horst Redlich and H. J. Klemp, No. 3, p. 231

Psychoacoustics, the Determining Factor in Stereo Disc Recording—John E. Jacobs and Paul Wittman, No. 2, p. 115

RCA Victor DYNAGROOVE System, The—Harry F. Olson, No. 2, p. 98

Report on the Proposed NAB Disc and Playback Standard, A—John J. Bubbers, No. 1, p. 51

Westrex 3D StereoDisk System, The—C. S. Nelson and J. W. Stafford, No. 3, p. 178

See also: Distortion

Distortion

Further Comments on the Measurement of Distortions in Stereodisk Systems (Letter)—Jerome B. Halter, No. 2, p. 162

Integrated Treatment of Tracing and Tracking Error Duane H. Cooper, No. 1, p. 2

Measurement of Distortions Due to Vertical Tracking Angle Errors in Stereodisk Systems—J. B. Halter and J. G. Woodward, No. 1, p. 8

Psychoacoustics, the Determining Factor in Stereo Disc Recording—John E. Jacobs and Paul Wittman, No. 2, p. 115

See also: Measurements

Loudspeakers

Interrelation of Speaker and Amplifier Design—Victor Brociner and Daniel von Recklinghausen, No. 3, p. 124

Single-Ended Wide-Range Electrostatic Tweeters with High Efficiency and Improved Dynamic Range—Keith O. Johnson, No. 3, p. 204

Trends in Loudspeaker Magnet Structures—R. J. Parker, No. 3, p. 236

Unitized Stereophonic Loudspeaker with Acoustically Augmented Separation of the Sound Sources—Harry F. Olson, No. 1, p. 40

Magnetic Recording and Reproduction

Advanced Tape Mastering System: Electronic Features —John T. Mullin, No. 4, p. 298

Advanced Tape Mastering System: Mechanical Features —K. Clunis, No. 4, p. 303

Dynamic Range Limitations in Tape Recording—Robert Z. Langevin, No. 4, p. 294

Magnetic Tape Cartridges—Austin A. Knox, No. 1, p. 32

Measurement of Instantaneous Speed Stability of Instrumentation-Type Magnetic Tape Transport Systems—Domenic Balducci, No. 3, p. 226

Mechanical Damping in Tape Transports—John G. McKnight, No. 2, p. 140

New Multi-Deck Broadcast Audio Tape Cartridge System, A—K. Rey Smith II, No. 4, p. 327

Noise Limitations in Tape Reproducers—Erling P. Skov, No. 4, p. 280

Parametric Input Stages in Electroacoustics. 1. Low-Noise Playback Amplifier in Magnetic Recording—E. deNiet, No. 1, p. 21

Performance and Reliability Requirements for a Master Tape Recorder—Rein Narma and W. M. Fujii, No. 4, p. 274

Techniques for Achieving Wide Dynamic Range in Magnetic Recorders—Keith O. Johnson, No. 4, p. 308

Magnetic Tape

New Magnetic Tape with Greater Dynamic Range, A—Alfred H. Moris, No. 1, p. 36

Successful Re-Slitter for Magnetic Tape, A—James H. Prout, No. 3, p. 258

Measurements

Further Comments on the Measurement of Distortions in Stereodisk Systems (Letter)—Jerome B. Halter, No. 2, p. 162

Intermodulation Distortion Measurement—D. E. O'N. Waddington, No. 3, p. 221

Measurement of Distortions Due to Vertical Tracking Angle Errors in Stereodisk Systems—J. B. Halter and J. G. Woodward, No. 1, p. 8

Measurement of Instantaneous Speed Stability of Instrumentation-Type Magnetic Tape Transport Systems, The—Domenic Balducci, No. 3, p. 226

Techniques in Processing Large Quantities of Audio Spectrum Analysis Data—Mark R. Weiss and Cyril M. Harris, No. 2, p. 147

Tracking and Tracing Error Measurement, On—Duane H. Cooper, No. 4, p. 312

See also: Distortion

Microphones

Condenser Microphones with Electret Foil—G. M. Sessler and J. E. West, No. 2, p. 129

Parametric Amplifiers used in Electroacoustics. 2. The Condenser Microphone Amplifier with Semi-Conductor Elements—E. de Niet, No. 3, p. 186

Music and Electronics

Dependence of Timbre on the Tonal Loudness Produced by Musical Instruments—Melville Clark, Jr. and Paul Milner, No. 1, p. 28

Electronic Music Studio for the Independent Composer, An—Gordon Mumma, No. 3, p. 240

Preliminary Experiment on the Perceptual Basis for Musical Instrument Families, A—Melville Clark, Jr., Paul Robertson, and David Luce, No. 4, p. 199

Speech Processing

Spoken Digit Recognizer for the Japanese Language—Kuniichi Nagata, Yasuo Kato and Seibi Chiba, No. 4, p. 336

Techniques in Processing Large Quantities of Audio Spectrum Analysis Data—Mark R. Weiss and Cyril M. Harris, No. 2, p. 147

Standards

Audio Aids and Commission Policy—Robert L. Cutts, No. 1, p. 15

Report on the Proposed NAB Disc and Playback Standard, A—John J. Bubbers, No. 1, p. 51

Stereo FM

FM Stereo Receiver Performance as a Function of Pilot Circuit Design—A. Csicsatka and R. Linz, No. 3, p. 192

Pilot Phase Monitor for FM Stereophonic Broadcasting, A—J. Fleming Dias and Jouke Rypkema, No. 2, p. 132

Study of SCA Interference in Stereo FM Receivers, A —Don J. Popp, No. 1, p. 51

Studio Equipment

Custom Studio Recording Console, A—William G. Dilley, No. 4, p. 330

Electronic Music Studio for the Independent Composer, An— Gordon Mumma, No. 3, p. 240

See also: Disc Recording and Reproduction; Magnetic Recording and Reproduction

Author Index

B

Balducci, Domenic, The Measurement of Instantaneous Speed Stability of Instrumentation-Type Magnetic Tape Transports, No. 3, p. 226

Bauer, B. B., On the Damping of Phonograph Styli, No. 3, p. 210

Brociner, Victor and Daniel von Recklinghausen, Interrelation of Speaker and Amplifier Design, No. 2, p. 124

Bubbers, John J., A Report on the Proposed NAB Disc and Playback Standard, No. 1, p. 51

C

Chiba, Seibi, Kuniichi Nagata and Yasuo Kato, Spoken Digit Recognizer for the Japanese Language, No. 4, p. 336

Clark, Melville, Jr. and Paul Milner, Dependence of Timbre on the Tonal Loudness Produced by Musical Instruments, No. 1, p. 28

———, with Paul Robertson and David Luce, A Preliminary Experiment on the Perceptual Basis for Musical Instrument Families, No. 3, p. 199

Clunis, K., Advanced Tape Mastering System: Mechanical Features, No. 4, p. 303

Cooper, Duane H., Integrated Treatment of Tracing and Tracking Error, No. 1, p. 2

———, On Tracking and Tracing Error Measurement, No. 4, p. 312 and Letter, No. 4, p. 344

Csicsatka, A. and R. Linz, FM Stereo Receiver Performance as a Function of Pilot Circuit Design, No. 3, p. 192

Cutts, Robert L., Audio Aids and Commission Policy, No. 1, p. 15

D

Dilley, William G., A Custom Studio Recording Console, No. 4, p. 330

de Niet, Edmund, Parametric Input Stages in Electroacoustics. 1. Low-Noise Playback Amplifier in Magnetic Recording, No. 1, p. 21

———, Parametric Amplifiers Used in Electro-Acoustics. 2. The Condenser Microphone Amplifier with Semi-Conductor Elements, No. 3, p. 186

Dias, J. Fleming and Jouke Rypkema, A Pilot Phase Monitor for FM Stereophonic Broadcasting, No. 2, p. 132

Driskо, Benjamin B., Location of Sound Sources (Letter), No. 2, p. 166

F

Fujii, W. M. and Rein Narma, Performance and Reliability Requirements for a Master Tape Recorder, No. 4, p. 274

H

Halter, Jerome B., Further Comments on the Measurement of Distortions in Stereodisk Systems (Letter), No. 2, p. 162

——— and J. G. Woodward, Measurements of Distortions Due to Vertical Tracking Angle Errors in Stereodisk Systems, No. 1, p. 8

Harris, Cyril M. and Mark R. Weiss, Techniques in Processing Large Quantities of Audio Spectrum Analysis Data, No. 2, p. 147

J

Jacobs, John E. and Paul Wittman, Psychoacoustics, the Determining Factor in Stereo Disc Recording, No. 2, p. 115

Johnson, Keith O., Single Ended Wide Range Electrostatic Tweeters with High Efficiency and Improved Dynamic Range, No. 3, p. 204

———, Techniques for Achieving Wide Dynamic Range in Magnetic Recorders, No. 4, p. 308

Jones, D. D., Functionalized Listening Facility for the Multi-Lingual Auditorium, No. 3, p. 245

K

Kato, Yasuo, Kuniichi Nagata and Seibi Chiba, Spoken Digit

Recognizer for the Japanese Language, No. 4, p. 336

Klemp, H. J. and Horst Redlich, A Method for Raising the Load Capacity of Stereo Cutters, No. 3, p. 231

Knox, Austin A., Magnetic Tape Cartridges, No. 1, p. 32

L

Langevin, Robert Z., Dynamic Range Limitations in Tape Recording, No. 4, p. 294

Levitt, Joel H., (Letter), No. 2, p. 166

Linz, Robert and A. Csicsatka, FM Stereo Receiver Performance as a Function of Pilot Circuit Design, No. 3, p. 192

M

McKnight, John G., Mechanical Damping in Tape Transports. No. 2, p. 140

Milner, Paul and Melville Clark, Jr., Dependence of Timbre on the Tonal Loudness Produced by Musical Instruments, No. 1, p. 28

Moris, Alfred M., A New Magnetic Tape with Greater Dynamic Range, No. 1, p. 36

Mullin, John T., Advanced Tape Mastering System: Electronic Features, No. 4, p. 298

Mumma, Gordon, An Electronic Music Studio for the Independent Composer, No. 3, p. 240

N

Nagata, Kuniichi, Yasuo Kato and Seibi Chiba, Spoken Digit Recognizer for the Japanese Language, No. 4, p. 336

Narma, Rein and W. M. Fujii, Performance and Reliability Requirements for a Master Tape Recorder, No. 4, p. 274

Nelson, C. S. and J. W. Stafford, The Westrex 3D StereoDisk System, No. 3, p. 178

O

Olson, Harry F., The RCA Victor DYNAGROOVE System, No. 2, p. 98

——, Unitized Stereophonic Loudspeaker with Acoustically Augmented Separation of the Sound Sources, No. 1, p. 40

P

Parker, R. J., Trends in Loudspeaker Magnet Structures, No. 3, p. 236

Popp, Don J., A Study of SCA Interference in Stereo FM Receivers, No. 1, p. 51

Prout, James H., A Successful Re-Slitter for Magnetic Tape, No. 3, p. 258

R

Redlich, Horst and H. J. Klemp, A Method for Raising the Load Capability of Stereo Cutters, No. 3, p. 231

Robertson, Paul, Melville Clark, Jr. and David Luce, A Preliminary Experiment on the Perceptual Basis for Musical Instrument Families, No. 3, p. 199

Rypkema, Jouke and J. Fleming Dias, A Pilot Phase Monitor for FM Stereophonic Broadcasting, No. 2, p. 132

S

Sessler, G. M. and J. E. West, Condenser Microphones with Electret Foil, No. 2, p. 129

Skov, Erling P., Noise Limitations in Tape Reproducers, No. 4, p. 280

Smith, K. Roy, II, A New Multi-Deck Broadcast Audio Tape Cartridge System, No. 4, p. 327

Smith, Russell F. W., Linguistic Problems in Extra-Terrestrial Communications, No. 2, p. 154

Soffel, A. R., Recording Aircraft Noises to 100 kc, No. 3, p. 214

Stafford, J. W. and C. S. Nelson, The Westrex 3D StereoDisk System, No. 3, p. 178

V

von Recklinghausen, Daniel and Victor Brociner, Interrelation of Speaker and Amplifier Design, No. 3, p. 124

W

Waddington, D. E. O'N., Intermodulation Distortion Measurement, No. 3, p. 221

Weiss, Mark R. and Cyril M. Harris, Techniques in Processing Large Quantities of Audio Spectrum Analysis Data, No. 2, p. 147

West, J. E., and G. M. Sessler, Condenser Microphones with Electret Foil, No. 2, p. 129

Wittman, Paul and John E. Jacobs, Psychoacoustics, the Determining Factor in Stereo Disc Recording, No. 2, p. 115

Wood, Carlton E., Bridging and Mixing Techniques, No. 1, p. 55

Woodward, J. G. and J. B. Halter, Measurement of Distortions Due to Vertical Tracking Errors in Stereodisk Systems, No. 1, p. 8

AUDIO
AES